



www.grandoakflooring.com.au

Stylish, Sustainable, Sophisticated







A word from our founder

Since its debut in 2011, GrandOak has been synonymous with sophistication, elegance and quality in the flooring industry.

With our ongoing focus on Passion, Dedication and Motivation, we have continued to highlight GrandOak as the premium brand for Australian Select Timbers. As such we have recently introduced new fashion forward colours to this range. These uniquely cultivated colours are designed to add a style of magnificence to every space that they adorn.

With the continued development of this market-leading brand, we remain progressive and evolving. This has allowed us to exceed our clients expectations for their residential and commercial projects.

Knowing that GrandOak comes with extensive warranties, you can enjoy the enduring quality and beauty of your floors for many years to come.

When you walk on your beautiful GrandOak floors, rest assured that you have made an excellent choice for your home and the environment.

After all, grand impressions start from the floor up!

Alex Gong

Director of Australian Select Timbers





GrandOak

The GrandOak difference.

With an unmatched reputation, $\mathsf{GrandOak}$ is a statement you'll be enamoured with.

As the market leader in European Oak flooring across Australia, its beauty is evident.

There are five beautiful GrandOak collections to choose from:

- Noble Collection
- Monarch Collection
- Everest Collection
- Herringbone Collection
- Chevron Collection



High Durability & Outstanding Quality.



Easy to Clean & Maintain.



Lowest VOC (Volatile Organic Chemical Compound) levels in the market. Asthma & Allergy Friendly.



Perfect for Families & Pets.




Exclusively sourced from sustainable forests across Europe. Safeguarded by Forestry Stewardship Certification (FSC).



Hydronic Heated Slab compatible.*

*Please refer to our Heated Slab instructions for more details.






1900mm x 190mm x 14.5mm

2200mm x 220mm x 20mm





2200mm x 240mm x 15mm

750mm x 150mm x 14.5mm

900mm x 150mm x 14.5mm





Noble Collection

1900mm x 190mm x 14.5mm

UV Lacquer







boards

Trowel glue



3mm Veneer

Tongue & Groove



per pack





Floating floor installation down installation



High strength multi-ply core

Handcrafted

boards



*Please refer to our Heated Slab instructions for more details.

**This Classic grade of timber is the most common standard and widely used timber in the wood flooring industry.

Oak is a natural product, colour and grain will vary while some knots will be present, as well as the use of black and/or coloured fillers. Timber flooring is not colour-fast, and the colour will change over time when exposed to UV light.

Please refer to our Technical data sheets, Installation Instructions, Care & maintenance, and Warranties.



Natural beauty and timeless appeal.


GrandOak Noble Collection is a natural choice for those looking to use classic timber tones or contemporary hues in their designs.

Setting a high-end standard, the Noble Collection is a stunning longboard, with every board manufactured to be exactly 1900mm with no short boards.

The authentic look and feel of the GrandOak Noble Collection are further enhanced by carefully brushing the surface, accentuating its natural oak grain texture. Our handcrafting artists use a specialised process, not just machinery to ensure every board is unique in both appearance and texture.

The real beauty of engineered European Oak is in the natural variations of colour, grain, and knots. Manufactured with the latest German technology, the Noble Collection is finished with a 3mm solid oak wear layer that is further stabilised by a superior multi-ply core. Producing a floorboard that is designed to handle extreme environmental changes. The cross-layer construction of the multi-ply core allows the boards to be installed over hydronic heated subfloor systems.

These elements combined, showcase the quality and distinction that the Noble Collection is renowned for in Australia. The matching stair nosing and scotia bring the whole colour scheme together, completing your unique look.



Danish Oak 🔵 🔾

Mink Grey O

We cannot guarantee that the colour you see printed on this brochure accurately portrays the true colour of the floorboard. Swatch colours can be verified by ordering a complimentary offcut sample from our website or visiting a GrandOak retail partner to view in-store.

Monarch Collection


2200mm x 220mm x 20mm

UV Lacquer

Wire Brushed

Matte Finish





in pack*



Veneer

Groove







5555555

slab compatible**



Hydronic heated Classic timber



grade***



*Nested boards refer that the packs contain both short and full length boards. Minimum length 600mm.

**Please refer to our Heated Slab instructions for more details.

***This Classic grade of timber is the most common standard and widely used timber in the wood flooring industry.

Oak is a natural product, colour and grain will vary while some knots will be present, as well as the use of black and/or coloured fillers. Timber flooring is not colour-fast, and the colour will change over time when exposed to UV light.

Please refer to our Technical data sheets, Care & maintenance, and Warranties for more information on our website.




True European elegance.

Inspired by the eternal elegance and sophistication of European villas, our Monarch Collection will elevate your interior design to the next level.

From natural hues to French-inspired tones, the Monarch Collection offers eight refined colours to choose from. Enjoy the sweeping curves of the grain around naturally occurring knots, creating just the right amount of variation for your next project.

With its distinctive 2200mm long, 220mm wide boards and impressive 6mm wear layer to rival most solid timber floors; it is both expansive, versatile, and anchored by a multi-ply birch core for extra stability.

With the luxury of European style, the Monarch Collection will be the statement that defines your home.



We cannot guarantee that the colour you see printed on this brochure accurately portrays the true colour of the floorboard. Swatch colours can be verified by ordering a complimentary offcut sample from our website or visiting an GrandOak retail partner to view in-store.

Everest Collection

2200mm x 240mm x 15mm

UV Lacquer

Matte Finish

Wire Brushed









4mm Veneer

Groove in pack*

Trowel glue

down installation





Floating floor

installation

High strength multi-ply core

Handcrafted



\$\$\$\$\$\$ Hydronic heated Classic timber



slab compatible** grade***



*Nested boards refer that the packs contain both short and full length boards. Minimum length 600mm.

**Please refer to our Heated Slab instructions for more details.

***This Classic grade of timber is the most common standard and widely used timber in the wood flooring industry.

Oak is a natural product, colour and grain will vary while some knots will be present, as well as the use of black and/or coloured fillers. Timber flooring is not colour-fast, and the colour will change over time when exposed to UV light.

Please refer to our Technical data sheets, Care & maintenance, and Warranties for more information on our website.



Reaching new heights.

Embodying the beauty and class of the GrandOak Range, the Everest Collection delivers a truly 'Grand' experience.

This collection makes it so simple to achieve a sense of spaciousness, with 240mm super wide boards that deliver a smooth, free-flowing finish. Wider boards provide increased coverage, therefore fewer planks are required. This means your flooring installation can be completed faster, compared to traditional narrow floorboards. If you're seeking to create a luxurious space in a smaller living area, Everest is the answer.

All our boards have 8-10 coatings of UV water-based lacquer, for extra durability. These handcrafted timber engineered boards with striking wood grain variations, effortlessly create high-end visual appeal.

The GrandOak Everest Collection boasts six colours, offering superior choices for every interior space. With earthy tones, the grey and brown hues provide a sense of warmth and sophistication.




We cannot guarantee that the colour you see printed on this brochure accurately portrays the true colour of the floorboard. Swatch colours can be verified by ordering a complimentary offcut sample from our website or visiting an GrandOak retail partner to view in-store.

GrandOak Architecture

GrandOak Engineered construction designed for life.

As today's market is seeing an increase in wider and longer boards, the need for stability in the construction of engineered floorboards is forever evolving. The use of a multi-ply core is paramount to the longevity of your engineered timber floor. Stability is key in the construction of engineered flooring, creating a floor that is less likely to cup, twist or bow when affected by environmental extremes in temperature and humidity.

GrandOak uses the proven superior method of a multi-ply cross core. This unique assembling method creates a product more stable than that of a 3-ply construction. Multi-ply construction is made up of multiple thin hardwood sheets that are arranged, glued, and pressed with the grain running at right angles to the adjacent sheet.



GrandOak

Tongue and Groove joining system is the preferred choice.

Over the generations, the Tongue & Groove joining system has been tried and tested. To this day, the T&G joining system is still the preferred choice amongst most builders and floor installers because there are less issues in laying the boards, and less issues in movement!

The use of a T&G joining system also gives you more options when it comes to the installation process. The prime benefit of a T&G profile is that you can choose to use a 'Glue Down Method' or a 'Floating Floor Method' option.


Glue Down - Installation Method:

• Compared to other locking systems, T&G direct sticking is easy to install, easy to use; and this results in a perfectly solid feeling with no movement (subject to leveling first where required). Glue is applied by a professional directly under the boards for a stable finish.

Floating Floor - Installation Method:

• Where floating floor method is preferred, the T&G locking system requires the use of a cross-linking PVA adhesive between the boards. This secure bond reduces any potential creaking and squeaking from your floor, and ensures the locking system does not loosen up. The glue between the joints also acts as a sealant, so that in case of any spillages, it limits water ingression.

It's always best to confirm which method of installation suits your 'subfloor' with a professional installer, however the T&G locking system makes it a versatile option in any home!



Tongue & Groove profile

Herringbone Collection

750mm x 150mm x 14.5mm

UV Lacquer

Matte Finish

Wire Brushed







3mm Veneer

tongues



Handcrafted

boards



down installation



style

High strength multi-ply core

\$\$\$\$\$\$





Hydronic heated Classic timber slab compatible*



grade**



**This Classic grade of timber is the most common standard and widely used timber in the wood flooring industry.

Oak is a natural product, colour and grain will vary while some knots will be present, as well as the use of black and/or coloured fillers. Timber flooring is not colour-fast, and the colour will change over time when exposed to UV light.

Please refer to our Technical data sheets, Care & maintenance, and Warranties for more information on our website.



Where classic meets contemporary.


Classic French style parquetry has recently enjoyed a revival, making our GrandOak Herringbone Collection the perfect contemporary statement for your foyer, hallway, or open space.

A perfect companion to the most popular colours in our Noble Collection, the Herringbone Collection colours range from light neutral to rich heritage tones.

Our pre-finished 750mm x 150mm x 14.5mm T&G board comes with a left and right tongue and is coated with a water-based UV lacquer matte finish.

Available across six stunning colours, this spectacular collection of hand-brushed parquetry is stunning and will elevate your spaces to new heights of glamour.

Installation by full trowel glue down is required. For more information, please refer to our GrandOak Herringbone Installation Guidelines on our website.



We cannot guarantee that the colour you see printed on this brochure accurately portrays the true colour of the floorboard. Swatch colours can be verified by ordering a complimentary offcut sample from our website or visiting an GrandOak retail partner to view in-store.

Chevron Collection

900mm x 150mm x 14.5mm


UV Lacquer

Matte Finish

Wire Brushed



2





Veneer

& right tongues boards

Trowel glue

down installation





style

High strength multi-ply core

\$\$\$\$\$\$

Handcrafted boards



Hydronic heated Classic timber slab compatible*



grade**



*Please refer to our Heated Slab instructions for more details.

**This Classic grade of timber is the most common standard and widely used timber in the wood flooring industry.

Oak is a natural product, colour and grain will vary while some knots will be present, as well as the use of black and/or coloured fillers. Timber flooring is not colour-fast, and the colour will change over time when exposed to UV light

Please refer to our Technical data sheets, Care & maintenance, and Warranties for more information on our website.



Destined to exceed every expectation.

Inspired by century-old styling, our GrandOak Chevron Collection provides an effortless modern appearance with its unique pattern.

Chevron parquetry is known for its 'V' shape pattern, also known as Hungarian point which dates back to the Renaissance period. It consists of wood planks that are cut at a 45-degree angle and positioned in a distinctive pattern. This must be aligned for a perfectly straight axis; parquetry requires specialised skills for installation. With its repeated geometrical pattern, this style has been featured in many European palaces and chateaux.

Our GrandOak Chevron Collection boasts six opulent colours that are beautifully finished with a water-based matte UV lacquer. The pre-finished 900mm x 150mm x 14.5mm T&G board is styled with reversed left and right tongues.

Installation by full trowel glue down is required. For more information, please refer to the GrandOak Chevron Installation Guidelines on our website.

Create a sense of grandeur with the GrandOak Chevron Collection.




We cannot guarantee that the colour you see printed on this brochure accurately portrays the true colour of the floorboard. Swatch colours can be verified by ordering a complimentary offcut sample from our website or visiting an GrandOak retail partner to view in-store.

GrandOak Accessories

GrandOak accessories. Complete your look.

At Australian Select Timbers, we've cultivated an impressive selection of accessories to ensure a high-end finish. From installation to maintenance, we can satisfy all your flooring needs to ensure your GrandOak Flooring look is complete!

For more information, please refer to our website **www.asttimbers.com.au**



Custom Stair Treads

GrandOak also produces fully customised stair treads to suit your unique requirements, ensuring a perfect fit every time.

Require a designer look stair tread? We can work with your specifications to create a look that is one of a kind. Colour matching your stairs to your oak floors to produce a seamless finish in your home.





Timber Stair Nosing

Available across our entire collection, our matching timber stair nosing allows you to continue your floor scheme where there are stairs.

Specifications

Profile:Square edgeColours:Matching all ranges



Includes matching Herringbone and Chevron ranges.



Timber Scotia

Available across our entire collection, our matching timber scotia allows you to finish your room seamlessly.

Specifications

Size:1900 x 18 x 18mmColours:Matching all ranges



Includes matching Herringbone and Chevron ranges.



Adjustable Aluminium Height Trims

Continue your floor scheme with our high-quality variable height aluminium floor trims.

Specifications

3400 x 22 x (15-20mm) Black, Silver, Champagne
3400 x 22 x (12-15mm) Available in 15 complementary
colours.



Select Underlay for Floated Floor Systems

To achieve a professional and long lasting result when installing an Australian Select Timbers floor, as a floating floor system we recommend using our 5 Star AAAC Acoustic Rated Select Underlay. Available in both 2mm (ComfortPro) or 3mm (AcousticPro) EVA foam thickness, these options produce a superior higher density fabrication; compared to a generic closed-cell foam choice. This ensures thermal and acoustic standards are exceeded for residential and commercial applications.

Perfect for both concrete and timber subfloors, our Select Underlay offers peace of mind, with up to 200mm extra-wide overlapped water-resistant 100um PE film - ensuring your floor is protected for years to come. Refer to our installation instructions for more information.

Specifications

ComfortPro - 2mm Acoustic Underlay

Roll area:		
Roll width:		
Roll overlap:		
Thickness:		
Water-resistance film:		
Density:		
Acoustic rate:		

20m² / 50m² 1100 ± 1% 100mm 2mm 80um PE 110kg/m³ approx. 5 Star (AAAC rating)

AcousticPro - 3mm Acoustic Underlay

Roll area:	20m ²
Roll width:	$1100 \pm 1\%$
Roll overlap:	200mm
Thickness:	3mm
Water-resistance film:	100um PE
Density:	110kg/m³ approx.
Acoustic rate:	5 Star (AAAC rating)



Select Guard Floor Protection

Select Guard floor protection is manufactured from a quality, non-abrasive 3mm foam with a poly-woven top on the outside.

This ensures exceptional performance in the protection of your floors, and provides a safe working space with its non-slip capabilities.

Select Guard floor protection ensures peace of mind against possible damage to your floor surface that may occur during residential and commercial renovations, and construction projects. With its spill-resistant technology and breathable fabric, it prevents moisture build-up by covering any surface with an extra protective layer.

Specifications

Roll size:	50m ²
Roll diameter:	520mm approx.
Roll width:	1200mm ± 0.5%
Thickness:	3mm
Surface:	poly-woven (anti-slip)
Density:	33kg/m³ approx.
Weight:	9kg approx.
Structure material:	foam

Features

- Non-abrasive 3mm foam with a poly-woven top.
- Spill and moisture resistant technology.
- Flexible and durable for easy use.
- Comes in 50m² rolls with 1.2m width for fast and easy installation.
- Robust against high traffic.
- Ideal for protection during renovations such as painting, plastering, etc.
- Perfect for protection during new constructions.

GrandOak Maintenance

Caring for your GrandOak Floor.

At GrandOak we want you to enjoy your elegant floors for years to come. To retain their ongoing glory, below are some simple maintenance guidelines to follow:

- Gently dust, soft vacuum and mop several times a week to keep your beautiful floorboards clean.
- Maintain your floors with our SelectCare+ Floor Cleaning Range; using our everyday handy Hard Floor Cleaner, and our Hard Floor Rejuvenator and Rejuvenator Plus as required (refer to instructions on uses).
- Our SelectCare+ non-abrasive cleaning range and equipment are specifically designed for use on prefinished GrandOak floors. Avoid the use of abrasive cloths, sponges, cleaners, creams and steam mops as they will void your warranties.
- To protect your Lifetime Structural Warranty & Wear Warranty, we recommend the use of soft furniture pads and felt backed castors, to prevent potential scratches and scuffs from furniture legs and edges.
- For further information, please speak to your retailer or visit our website: www.grandoakflooring.com.au







Hard Floor Cleaner Daily use

SelectCare+ Hard Floor Cleaner is an everyday water-based and ecological cleaning product, designed to cut through grease and grime on all types of floors* including: engineered floors, timber floors (excluding oil finished and cork), laminate, vinyl, hybrid floors, stone and tiles. This product is recommended for regular floor cleaning, and should be used in conjunction with our SelectCare+ Dust Cleaning Pad and Spray Mop.

No dilution is required with this product.

Specifications

+/-1.02
Neutral
Thin liquid
All types of hard floors (excluding oil finished and cork floors).
1L and 2.5L



Hard Floor Rejuvenator Periodic + Intensive use

SelectCare+ Rejuvenator is a water-based product used to remove layers of polish on varnished and UV lacquered floors that may have become worn or tired over time. It can also be used as a degreaser to remove stubborn stains and marks from timber floors (excluding bamboo, oil finished, cork, laminate, hybrid and vinyl floors).

This product is a two-step process. To restore the floor's protective coating after it has been cleaned with SelectCare+ Rejuvenator, SelectCare+ Rejuvenator*Plus* must then be used to restore the floor to its original protective glory. Recommended for Periodic Maintenance (to be used annually or every 6 months, depending on traffic).

No dilution is required with this product.

And flog Revented flog December 2010 December 20

Hard Floor Rejuvenator*Plus* Lacquer Protection

SelectCare+ Rejuvenator*Plus* is a universal maintenance product that provides a protective layer for all matte finish timber floors (excluding bamboo, oil finished, cork, laminate, hybrid and vinyl floors).

SelectCare+ Rejuvenator*Plus* is designed to provide a protective coating after deep cleaning your floors with our SelectCare Rejuvenator. This two-step process will maintain the original look of the floor, without the expense of sanding or buffing.

Recommended for Periodic Maintenance (to be used annually or every 6 months, depending on traffic). Only to be used after using SelectCare+ Rejuvenator.

No dilution is required with this product.

Specifications

Viscosity: pH value: Fragrance:	25-30 sec DIN 3 10-11 Fresh scent
Surface use:	All types of timber surfaces (excluding bamboo, oil finished, cork, laminate, hybrid and vinyl floors).
Available in:	1L and 2.5L

Specifications

Density:	1.05
pH value:	8
Gloss level:	Matte finish
Surface use:	Matte finish timber floors
	(excluding bamboo, oil
	finished, cork, laminate,
	hybrid and vinyl floors).
Available in:	1L and 2.5L



Mop Cleaning Pad

Mop cleaning pads are suitable for use with our SelectCare+ Hard Floor Cleaner and Spray mop system. Suitable for all types of hard floors including engineered timber floors, laminate, vinyl floors, stone and tiles.

Premium microfibre pads successfully remove dirt and scuff marks, and are machine washable.

Specifications

Pad size: 400 x 130mm

Features

- Suitable for use with AST's SelectCare+ Spray mop system.
- Suitable for all types of hard floors including Timber, Ceramic, Laminate, and Vinyl floors.
- Premium microfibre damp pad used to remove dirt and scuff marks.
- Machine washable.



Dust Cleaning Pad

Dust cleaning pads are suitable for use with our SelectCare+ Spray mop system. Suitable for all types of hard floors including engineered timber floors, laminate, vinyl floors, stone and tiles.

Premium microfibre dust cleaning pads successfully remove dust and pet hair, and are machine washable.

Specifications

Pad size: 400 x 130mm

Features

- Suitable for use with AST's Select Care+ Spray mop system.
- Suitable for all types of hard floors including Timber, Ceramic, Laminate, and Vinyl floors.
- Premium microfibre dry pad easily removes dust and pet hair.
- Machine washable.



Spray Mop

Our easy to use spray mop has a robust and easy to assemble design. Use our ergonomic spray mop to simply and easily clean your floors!

The mop features a clear cartridge which can be taken out and filled with SelectCare+ Hard Floor Cleaner. When empty, refill it again for more uses. The spray mop is recommended for GrandOak floors as it produces a fine mist of cleaning solution on the floor every time you use the spray function. Excess water on an engineered floor can cause the product to warp and expand, and will void your warranties.

Features

- Easy to assemble and disassemble.
- One-click lock mop head.
- Easy to use 400ml water based cleaner cartridge.
- Fine mist trigger spray function.
- Pads can easily be attached and detached.
- Ergonomic design.
- Suitable for all types of engineered and hard floors including timber, ceramic, laminate and vinyl floors.








Peace of mind

GrandOak provides complete peace of mind and a sustainable solution for any project. Our products come with proven test certificates for fire, dry-slip, wet-slip and emission testing.

GrandOak offers a Lifetime Structural Warranty, a 20 Year Domestic Wear Warranty and a 10 Year Commercial Wear Warranty, ensuring you will enjoy your floor for years to come.







Stylish, Sustainable, Sophisticated - Simply Beautiful -



www.grandoakflooring.com.au